

INDEX

- abiotic resources 94, 168, 173
- Aboriginal and Torres Strait Island people, *see* Indigenous Australians
- Acacia* 160, 275
- accidental translocations 274
- acclimatisation societies 108, 274–5
- acoustic anchoring 61
- acute stress response 257, 258
- adaptive differentiation 128, 131
- adaptive management 75, 81, 107, 116–17, 212, 289
- adder (*Vipera berus*) 129
- Adelaide 203, 242
- advocacy-driven translocations 281
- aerial baiting 37
- African wild dog (*Lycaon pictus*) 9, 34
- agent-based models, *see* individual-based models
- age structure 11, 95, 266
 - fish translocations 244
 - Tasmanian devils 148
- Akaike's Information Criterion (AIC) 79, 98
- Allee effect 74, 95
- allele retention 99–100, 132–3
- allelic diversity 128, 129, 130, 132, 133, 135, 136, 144, 206, 209
- allogenic engineering 167, 168
- allograft 141–2
- alpine skink 208
- amphibians 109, 112, 202
- animal ethics boards 256, 277
- anti-predator strategies 34, 35–6, 80, 84, 172, 195
- apex predators 33, 34
- aquatic ecosystems 114, 241, 277–8
- area-sensitive fauna 159
- arid environments 34, 170–1, 226
- Arid Recovery Reserve 30, 31, 33, 36, 171, 182, 187
- Ark in the Park 12, 192, 193
- Arthur's paragalaxias (*Paragalaxias mesotes*) 239
- artificial habitats 62, 120, 242
- artificial incubation 207, 210
- assisted breeding 210
- assisted colonisation 105–26, 259, 281, 285, 287, 288
 - by taxonomic groups 109–12
 - eastern barred bandicoot 78
 - Tasmanian devil 146, 148–9
- Auckland Zoo 202, 210–11
- Australasian robins (Petroicidae) 159, 161
- Australia 1, 5, 8, 9, 29, 30, 34, 46, 61, 63, 66, 67, 68, 73, 76, 78, 80, 92, 99, 128, 131, 151–2, 156, 157, 158, 170, 171, 174, 175, 185, 186, 195–6, 204, 206, 207, 211, 231, 261, 264
- Australian government 142, 152, 183
 - conservation and 187
 - funding and 181, 182
 - threatened species and 218
- Australian Wildlife Conservancy (AWC) 76, 86, 181, 187, 188–9, 195, 221, 277
- autogenic engineering 167, 168
- avian polyoma virus (APV) 45
- avian predators 160
- aviaries 76, 77, 262
- baiting 34, 181, 182, 183, 184, 230
- Bald Island 81, 82, 117, 118
- banded hare-wallaby (*Lagostrophus fasciatus fasciatus*) 110, 183, 220
- banded kōkōpu (*Galaxiulus fasciatus*) 193
- banded rail (*Gallirallus philippensis*) 193
- bandicoots 169, 206
 - Barrow Island golden bandicoot (*Isoodon auratus barrowensis*) 175, 220, 226
 - in Tasmania 206

- quenda (*Isodon obesulus fusciventer*) 218,
 220–1
 southern brown bandicoot (*Isodon
 obesulus*) 111, 183
 banksia 181
Banksia brownii plant-louse (*Trioza* sp.) 220
Banksia montana mealybug (*Pseudococcus
 markharveyi*) 109, 112, 118, 220
 barred galaxias (*Galaxias fuscus*) 239, 240
 Barrow Island 134–5, 226
 Barrow Island golden bandicoot, *see* bandicoots
 Barrow Island white-winged fairy-wren
 (*Malurus leucopterus edouardi*) 220, 222
 bats 194, 256, 265, 279
 diet problems 265
 disease risk 265
 translocations 265
 Bayesian hierarchical modelling 84, 93, 97–8,
 100, 288
 beak and feather disease (BFDV) 45–6
 behavioural training 83
 bellbird (*Anthornis melanura*) 61, 63, 64, 193
 Bennett's wallaby (*Macropus rufogriseus*) 110,
 112
 bighorn sheep (*Ovis canadensis nelsoni*) 151
 bilby, *see* greater bilby (*Macrotis lagotis*)
 bioclimatic analysis 94
 biophysical model 120, 122
 biosecurity 45, 144, 145, 242
 birds 63, 109, 111, 112, 113, 114, 115, 192, 194, 195,
 219, 222, 258, 260, 262–3, 267, 275, 276, 279
 bison (*Bison bison*) 2, 171
 black-eared miner (*Manorina melanotis*) 9, 85,
 266
 blackfish (*Gadopsis* spp.) 239, 247
 black-flanked rock wallaby (*Petrogale
 lateralis*) 32, 35, 110, 220
 black-footed ferret (*Mustela nigripes*) 44, 151,
 171
 black rat (*Rattus rattus*) 2, 29, 34, 81, 83, 97, 115,
 156, 161, 162, 173, 187, 189, 191, 192, 258
 black stilt (*Himantopus novaezelandiae*) 11
 black-tailed prairie dog (*Cynomys
 ludovicianus*) 9, 171
 blood parasites 210
 blue duck (*Hymenolaimus malacorhynchos*) 202
 blue mussels 279
 body weight loss 78
 boobook (*Ninox novaeseelandiae*) 113, 117
 boodie, *see* burrowing bettong
 boulderfield restoration 136
 box-gum grassy woodlands 171, 174
 breeding programs 11, 162, 222
 food limitation and 159
 bridled nailtail wallaby (*Onychogalea
 fraenata*) 9, 11, 92, 95, 96, 175, 181, 189, 228
 broadleaf-podocarp forest 161
 brown creeper (*Mohoua novaeseelandiae*) 193
 brown teal (*Anas chlorotis*) 2, 61, 113, 193,
 202
 brown treecreeper (*Climacteris picumnus*) 9, 65,
 66, 83, 157, 158–9
 brushtail possum, common (*Trichosurus
 vulpecula*) 34, 111, 192, 220, 226
 brush-tailed bettong (woylie) (*Bettonia
 penicillata ogilbyi*) 76, 110, 175, 181, 182, 183,
 189, 218–19, 221, 223, 264, 275
 brush-tailed rock-wallaby (*Petrogale
 penicillata*) 203
 brush turkey (*Alectura lathami*) 274
 buffer zones 150, 191, 287
 burrowing bettong (boodie) (*Bettonia
 lesueur*) 8, 12, 31, 33, 35, 110, 169, 173, 175, 181,
 182, 183, 184, 189, 220, 226
 burrowing owl (*Athene cunicularia*) 171
 burrow-nesting seabirds 174
 bush stone-curlew (*Burhinus grallarius*) 76–7,
 220
 Bushy Park 93–4, 192, 193

 Campbell Island teal (*Anas nesiotis*) 8, 113, 117
 cane toad (*Rhinella marina*) 33, 36, 116, 203, 208,
 264
 canine distemper 44, 151
 Cape Barren goose (*Cereopsis
 novaehollandiae*) 111
 Cape Sanctuary 186, 192, 193
 captive-breeding programs 12, 13, 21, 23, 35, 54,
 61, 77, 78, 80, 83, 84, 114, 115, 116, 120, 127, 128,
 132, 133, 144, 146, 151, 201, 203, 205, 206, 207,

- 208, 213, 222, 223, 224, 225, 228, 230, 238, 240,
242, 243, 244, 259, 260, 261, 262, 265
- capture–mark–recapture analysis 98
- carnivores 287
- carp (*Cyprinus carpio*) 244
- catastrophic events 245
- cat urine 31
- cavity nesters 258
- Chatham Island black robin (*Petroica traversi*) 2
- chemical defence 32, 33, 135
- chevron skink (*Oligosoma homalonotum*) 193
- chronic stress response 257–8
- chuditch (*Dasyurus geoffroii*) 220, 221, 226
- chukar (*Alectoris chukar*) 260, 263
- chytrid fungus 21, 151
- climate change 94–5, 98, 99, 106–7, 118, 120, 121,
122, 137, 152, 201, 238, 247, 249, 281
mitigation of effects 106–7, 118–22, 287
New Zealand and 119
- Codfish Island fernbird (*Bowdleria punctata wilsoni*) 113
- colonisation probabilities 156–7
- common skink (*Oligosoma polychronum*) 193
- common wombat (*Vombatus ursinus*) 111
- community organisations 186, 192–3, 227,
280–1
- companion species 274
- competitors 156
- complex release strategies 17–27
- connectivity 63, 241, 243
- consequence assessment 48, 52, 53
- Conservation Act 1987 174, 186
- Conservation Breeding Specialist Group
(CBSG) 204, 209
- conservation introductions 107, 222, 249
- conservation translocations 106, 108, 217, 223,
275, 277, 281, 282, 286, 287
- continuous habitat corridors 63
- control perception 258
- controlled experiments 74
- Cook's petrel (*Pterodroma cookii*) 193
- Cook Strait giant weta (*Deinacrida rugosa*) 113,
193
- Cormack–Jolly–Seber model 79
- cormorant (*Phalacrocorax* spp.) 246
- correlative species distribution models
(SDMs) 120
- corroboree frog (*Pseudophryne corroboree*) 19, 21,
23–4, 25, 95, 99, 112, 115, 151, 202, 210, 221
- cost-benefit analysis 23, 24, 289
- devil facial tumour disease removal 150
- ecosystem engineering 173, 175
- holding policy and 266
- cost management 21, 52, 53
- crisis responses, freshwater fish 243, 247
- critically endangered species 108, 120, 174, 206,
207, 210, 219, 229
- critical weight range 169
- crocodiles 279
- cross-fostering 205
- cryopreservation 210
- culling, devil facial tumour disease and 147
- Currawinya National Park 173, 184
- datasets 108, 109
- decision analysis 18–24, 51, 52, 84, 99, 281, 289
- de-extinction movement 289
- defence-mitigating strategies 35
- delayed release 11, 12, 61, 83
- demographic structure 9–10, 96, 289
- devil facial tumour disease (DFTD),
metapopulation management of 116, 141–54,
207
- dibbler (*Parantechinus apicalis*) 110, 116, 220, 225
- dieback 190
- dingo (*Canis lupus dingo*) 33–4, 152, 274
- disease risk 24, 44–55, 107, 120, 152, 210, 225,
228, 241, 260, 281, 285, 287
- current methods 45–50
- Manual of Procedures for Wildlife Disease Risk
Analysis* 48, 50
- qualitative disease risk analysis 48–9, 54
- quantitative disease risk analysis 49–50
- dispersal rate 59–72, 158–9, 161, 162, 246, 257,
260, 265, 267, 287
- diving petrel (*Pelecanoides urinatrix*) 193
- donor funds 187
- drought 242, 243, 245, 247
- Dryandra Woodland 182–3
- drylands 173, 175

- Dusky Sound 105, 112
dwarf galaxias (*Galaxiella pusilla*) 130, 131
dynamic environments 241
- Earaheedy (Kurarra Kurarra), fauna
reconstruction 226
- eastern barred bandicoot (*Perameles gunnii*) 78, 82, 111, 202, 206, 208
eastern bettong (*Bettongia gaimardi*) 169, 170, 171, 172, 174, 184, 203
eastern freshwater cod (*Maccullochella ikei*) 240, 243
eastern yellow robin (*Eopsaltria australis*) 157, 159–60
ecological niche modelling 118
ecosystem
engineering 167–80, 186
impacts 118, 142, 146, 288, 289
restoration 171, 174, 186, 189, 191, 249, 287, 288
pre-European settlement 171
- Edgbaston Reserve 189, 196
education programs 18, 227–8
effective population size 128–9, 146
egg releases 23, 24, 110–12, 115, 260
Ellen Brook Nature Reserve 121, 224
emu (*Dromaius novaehollandiae*) 111, 112
endangered species 12, 76, 77, 108, 142, 190, 229
environmental
change 92, 96
generational amnesia 174
vulnerability 258
watering 248
- Environment Protection and Biodiversity Conservation Act 1999* (EFBC) 142, 148, 174, 190, 218, 219, 277, 278
- eradication theory 147, 150
establishment phase 8–13, 60, 79
Eucalyptus 95, 159, 190, 275
Eurasian beaver (*Castor fiber*) 171
Eurasian crane (*Grus grus*) 48
euro (*Macropus robustus rubescens*) 220
European bison (*Bison bonasus*) 129
European settlement 108
extinctions and 29
habitats before 120
- New Zealand and 275
translocations and 274
evaluation frameworks 285
Evolutionary Significant Units (ESU) 136, 209
exclusion fencing 37, 181, 182, 183, 184
see also fenced sites
exotic predator species 2, 8, 29–42, 61, 76, 107, 108, 129, 152, 169, 171, 175, 186, 188–9, 190, 196, 207, 226, 230, 241–2, 244, 249, 274, 287
absence of 115, 116
control of 32, 226, 286
eradication of 187, 211, 289
exotic prey species 32
expected values (EV) 51, 52, 54
experiments 73–89, 285
exposure assessment 48, 49
extinct-in-the-wild species 206
resurrection of 289
extinction insurance 206–7
extinction risk 20, 21, 95, 129, 131, 135, 146, 156
extinctions 29, 151, 160, 162, 168, 219, 261
causes of 156
freshwater fish 242
population size and 127–8
prevention of 204
rate of 186
rescue from 249
Tasmanian devil 142
- failure rate, see success rate
fallow deer (*Dama dama*) 192
fat-tailed dunnart (*Sminthopsis crassicaudata*) 182
fauna reconstruction 225–6
fauna translocations 7–16
assisted colonisations 110–12
guidelines 255–71
Western Australia 217–35
Faure Island Sanctuary 115, 189
female survival rates 81, 161–2
fenced sites 30, 34, 36, 64, 79, 82, 182, 191–2, 195, 196, 225, 231, 228, 230, 287
see also exclusion fencing

- feral cat (*Felis catus*) 2, 29, 30, 31, 32, 34, 76, 77, 78, 79, 80, 116, 136, 152, 156, 169, 188, 189, 191, 192, 221, 222, 223, 226, 231
 feral dog (*Canis lupus familiaris*) 116
 feral pig (*Sus scrofa*) 192, 277
 fernbird (*Bowdleria* spp.) 262
 ferret 79, 116, 192
 fertile patch creation 171
 fight-or-flight response 257, 258
 Fiordland 1, 105, 114, 280
 fire management 65, 81, 181, 190, 226, 243, 245, 274
 First Fleet 274
 fish 3, 109, 243, 275, 278, 279
 assisted colonisation of 112, 117
 fingerling 244–6
 large-scale releases 243
 parental care, freshwater fish 247
 short-term recovery, freshwater fish 248
 stocking 243, 244
 stocking program, freshwater fish 239, 241
 temporary captive maintenance 238
 flax snail (*Placostylus ambagiosus*) 113
 flax weevil (*Anagotus fairburni*) 113
 fledglings, translocation of 266
 flightless birds 1, 63, 64, 109
 floods 243
 Florida torreyia (*Torreya taxifolia*) 106
 foot and mouth disease 147
 footprint tracking tunnels 259
 forest gecko (*Hoplodactylus granulatus*) 193
 Forester (eastern grey) kangaroo (*Macropus giganteus tasmaniensis*) 110, 112
 Forestier Peninsula 143, 149–50
 founder populations 115, 117
 fox, *see* red fox
 fragmented landscapes 128, 155–65, 241, 248, 249, 287
 free-range enclosures 144
 free-range populations 205, 206
 French Island 78, 112, 275
 freshwater catfish (*Tandanus tandanus*) 239
 freshwater environments 237–53
 freshwater fish 237–53
 frogs 19, 21, 23–5, 33, 95, 112, 115, 193–4, 202, 210, 219–21, 223, 225, 244
 funding 150
 availability 228
 captive breeding programs and 206
 deficits 241
 ecological engineering 172
 fish translocations and 245
 monitoring 248, 249
 zoos 209
 future directions 3, 5
 assisted colonisations 117–22
 reintroduction biology 289
 translocations 29–42, 281–2, 285–90
 game species 276
Gastrolobium tolerance 218
 geckos 193, 260
 genetic diversity 30, 135, 156, 208, 209, 226–7, 230, 241, 287, 289
 loss of 206
 Tasmanian devil 142, 144, 146, 148, 151
 translocation programmes and 127–40
 genetic drift 120, 128–37, 227
 genetic management 45, 136, 137, 210
 genetic resilience 134–7
 genetic structure 82, 118, 131
 genetics 73, 127–40, 285
 freshwater fish 244–5
 genomic sequencing 209, 210
 giant kokopu (*Galaxias argenteus*) 193
 giant tobacco (*Nicotiana excelsior*) 274
 gibber plain 182
 Gilbert's potoroo (*Potorous gilbertii*) 82, 110, 117, 118, 220
 Glanville fritillary (*Militaea cinxia*) 157
 glucocorticoid process 257, 258
 goanna (*Varanus* spp.) 32
 goat (*Capra hircus*) 192
 golden eagle (*Aquila chrysaetos*) 36
 golden galaxias (*Galaxias auratus*) 239
 gopher tortoise (*Gopherus polyphemus*) 171
 grazing 159, 161, 163, 169
 Great Artesian Basin 189
 Great Barrier Reef Marine Park 279

- greater bilby (*Macrotis lagotis*) 12, 31, 33, 169, 173, 175, 181, 182, 183, 184, 189, 220, 226
- greater stick-nest rat (*Leporillus conditor*) 30, 31, 111, 181, 182, 184, 189, 220
- great spotted kiwi (*Apteryx haastii*) 193
- green gecko (*Naultinus elegans*) 193
- grey-faced petrel (*Pterodroma macroptera*) 193
- grey wolf (*Canis lupus*) 33, 34, 75
- ground-dwelling birds 219
- group education 54
- Guidelines for Reintroductions and Other Conservation Translocations* (IUCN Guidelines) 3, 74, 107, 108, 144, 218, 228, 229, 230, 231, 273, 277, 278, 280, 281, 282, 286, 289
- Haast tokoeka (*Apteryx australis*) 113, 193
- habitat
 definition 66, 92
 loss 129, 159–60, 226, 238, 242, 244, 261, 286
 modelling 82, 148, 157, 158
 restoration 127, 136, 156, 157, 163, 181, 205
 shift 75, 95, 281
 suitability 66, 74, 80–3, 91, 94, 95, 98, 99, 118, 161, 247
- halo effect 63, 64
- Hamilton, New Zealand 61, 202
- hard release 11
- hare (*Lepus europaeus*) 192
- hatchery-reared fish 238, 241, 242, 243, 245, 246, 248, 249
- Healesville Sanctuary 2–3, 202, 205
see also 'Reintroduction Biology of Australasian Fauna' conference (Healesville Conference, 1993)
- heath mouse (*Pseudomys shortridgei*) 135
- hedgehog (*Erinaceus europaeus*) 192
- Heirisson Prong 30, 171, 183–4
- helmeted honeyeater (*Lichenostomus melanops cassidix*) 18, 202, 204, 205, 207
- Henry, Richard Treacy 1, 2, 105–6, 114, 275
- heterozygosity 129–30, 131, 134, 135, 136, 206, 209
- hihi (stitchbird) (*Notiomystis cincta*) 9, 11, 12, 61, 63, 75, 94–5, 96, 98–9, 119–20, 195, 262
 and climate 119
- hormonal responses, stress and 257
- host ecosystems 119–20
- host-immunodeficiency hazard (H-I) 44
- host-parasite communities 47
- houbara bustard (*Chlamydotis undulata macqueenii*) 84
- house mouse (*Mus musculus*) 77, 79, 116, 173, 187, 191
- huia (*Heteralocha acutirostris*) 289
- human resources management 107
- hydrological model 121, 122
- hyper-predation model 32
- Iberian lynx (*Lynx pardinus*) 84
- immune system suppression 257, 258
- inbreeding 66, 134, 135, 146, 151, 209, 227
 depression 128, 129, 132, 133, 135, 245
- incidence function model (IFM) 156–7
- Indigenous Australians 152, 273
 land owners 226, 232
 Tasmanian devils and 152
 translocation process and 273–4
- individual-based models (IBM) 99–100
- infrared camera surveys 149–50
- insectivores 265, 266, 288
- in situ* management 207
- insurance populations 21, 23, 24, 116–17, 209
 Tasmanian devil 142–4, 145–6, 147
- integrated landscape management 60, 66–68, 206, 212
- intensively managed facilities 144
- inter-disciplinary programmes 288
- International Union for the Conservation of Nature (IUCN) 2, 3, 8, 48, 74, 107, 108, 109, 128, 142, 144, 151, 156, 190, 206, 209, 218, 219
see also *Guidelines for Reintroductions and Other Conservation Translocations* (IUCN Guidelines)
- International Species Information System (ISIS) 209
- invasive species management (ISM) 63, 67
- invertebrate species 2, 109, 112, 113, 194, 219, 256, 258, 259, 266
- investment, freshwater fish translocations 249
- island fox (*Urocyon littoralis*) 36

- island refuges and sanctuaries 118, 188–91, 225, 262, 275
 assisted colonisation to 117, 119, 194, 195
 predator-free 114
 isolated populations 34, 36, 37, 68, 75, 77, 158, 159, 160, 217, 222, 226, 228, 230, 231, 286
 case studies 157–63
 fragmented landscapes and 155–65
 genetic resilience 134–5
 Tasmanian devil and 114–15, 146–7
- jewelled gecko (*Naultinus gemmeus*) 193
- kaka (*Nestor meridionalis*) 61, 63, 93, 202
 kakapo (*Strigops habroptilus*) 45, 106, 109, 113, 114, 115, 210
 kakariki, *see* red-crowned parakeet, yellow-crowned parakeet
 Kangaroo Island 112, 275
 Kapiti Island 9, 11, 12, 96, 265, 275–6
 Kaplan–Meier analysis 10
 Karakamia Sanctuary 186, 187
 kereru (*Hemiphaga novaeseelandiae*) 193
 keystone species 173, 174
 kiwi 10, 64, 106, 112, 191
see also little spotted kiwi, North Island
 brown kiwi, South Island brown kiwi,
 great spotted kiwi, Haast tokoeka,
 rowi
- koala (*Phascolarctos cinereus*) 109, 111, 112, 115, 175, 274, 275
 kokako, *see* North Island kokako
 kookaburra (*Dacelo novaeguineae*) 274
 koura (*Paranephrops* spp.) 273
- Lake Alexandrina 242
 Lake Eacham rainbowfish (*Melanotaenia eachamensis*) 240
 Lake Oberon 114, 115, 118
 Lake Pedder 114, 117
 Lakeland Downs short-tailed mouse (*Leggadina lakedownsensis*) 111, 116, 220
 Lancelin Island skink (*Ctenotus lancelini*) 112, 220
 landowners 280
- landscape
 connectivity 158, 161–3
 fragmentation 156, 158, 159, 160–3
 linear 241
 management 91, 97, 99, 107, 156–7, 173, 187, 241, 287
- land-use changes 203, 217, 277
- Leadbeater's possum (*Gymnobelideus leadbeateri*) 92, 95
- lesser short-tailed bat (*Mystacina tuberculata*) 265
- less-threatened species 174
- little penguin (*Eudyptula minor*) 146
- little spotted kiwi (*Apteryx oweni*) 109, 112, 113, 114, 193
- lizards 47, 54, 77, 109, 256, 276, 260
see also geckos, skinks
- long-nosed bandicoot 181
- long-nosed potoroo (*Potorous tridactylus*) 110, 112
- long-term sustainability
 freshwater fish 248
 hihi 12
 short-term establishment versus 68
- Lorna Glen (Matuwa), fauna
 reconstruction 226
- Macquarie perch (*Macquaria australasica*) 238, 239, 240, 243, 244, 245, 249
- Mahoenui giant weta (*Deinacrida mahoenui*) 113, 114, 193, 259
- mainland sanctuaries 188–9, 191–5, 262, 286
- mala, *see* rufous hare-wallaby
- malleefowl (*Leipoa ocellata*) 220, 222, 231
- mallee woodland 181
- Mallorcan midwife toad (*Alytes muletensis*) 44
- mammal-proof fence 79
- mammals 109, 219
 assisted colonisation 114–15, 169–71
 ecosystem engineers 169
 predators 119
- managed environmental enclosures (MEEs) 144

- management
 - alternatives 50, 52, 53, 99
 - consequences 50–5
 - frameworks 279, 280
 - freshwater fish 245
 - inaction 245
 - integration 288
 - objectives 50
 - post-release management 4, 62, 93, 96, 256
 - tools 61, 208–10
- Māori, translocation process and 273
- Maria Island 112, 114, 116, 117, 143
 - Tasmanian devils and 147–9
- Mary River cod (*Maccullochella mariensis*) 240, 243
- Maud Island frog (*Leiopelma pakeka*) 193
- Maungatautari Sanctuary 192, 193, 202
- MaxEnt algorithm 94, 95
- mean-kinship method 143
- Melaleuca quinquinerva* 275
- Melbourne Zoo 202, 206
- mesopredators 33, 34
- metapopulation management 68, 156, 157, 161, 287
 - devil facial tumour disease and 141–54
 - tools 209–10
- microchip scanners 208
- microhabitat model 120
- Millennium Drought 243, 247, 248
- minimum release cohort size 92
- mitigation translocations 107, 217, 281, 286
 - see also salvage translocations
- mitochondrial sequencing 209
- mixed-release solutions 24
- mobile refuges 260
- modelling 4, 75, 82, 91–103, 244, 281, 286, 288
 - and prior information 93–4
 - predictive 91–2
 - quantitative 91, 286
 - stage-structured population model,
 - corroboree frog 23
 - statistical 84, 98, 109
- modelling approaches
 - comparisons between 98–9
 - risk assessment and 50
- Mokoia Island 75, 93, 94, 96, 99
- moko skink (*Oligosoma moko*) 211
- molecular techniques, captive breeding and 209
- monarch butterfly (*Danaus plexippus*) 33
- monitoring 74, 142, 208, 211, 225, 228, 248, 259, 280
 - improvements in 84–5, 227–8
 - need for 2
 - Tasmanian devils 148
 - tools 54
 - turtles 261
- monotremes 112
- moose (*Alces alces*) 129
- morepork, see boobook
- mortality rates 74, 241, 242, 255
- mosquitofish (*Gambusia holbrooki*) 189
- Mount Gibson Sanctuary 187, 189
- mountain plover (*Charadrius montanus*) 171
- mountain pygmy possum (*Burramys parvus*) 136, 137, 208, 209
- Mulligans Flat–Goorooyaroo Woodland
 - Experiment 65, 171–3, 176, 184
- multidisciplinary teams 61, 68, 85, 256
- multiple criteria analysis (MCA) 122
- multi-species strategies 34, 95, 97, 186
- Murray cod (*Maccullochella peelii*) 238, 243, 244
- Murray-Darling Basin (MDB) 190, 242, 244, 245, 248, 279
- Murray hardyhead (*Craterocephalus fluviatilis*) 239, 240, 242, 245, 248
- mussels 174
- mustelids 275
- mygalomorph spider 62
- natal dispersal patterns 64, 65
- national parks 175, 181, 225, 276
- native species
 - exports 274–5
 - protection 279
- Native Title properties 226, 232
- natural enclosures 263
- natural hatcheries 242, 249
- natural dispersal 64
- near-threatened species 190
- nectar feeding species 120
- nematode (*Cyathosporira seurati*) 274

- nest boxes 83, 119, 190, 258, 264, 267
- network analysis 47–8, 54
- New Holland mouse (*Pseudomys novaehollandiae*) 184, 209
- New Zealand (NZ) 3, 5, 8, 9, 10, 29, 32, 34, 36, 45, 46, 47, 61, 63, 64, 67, 68, 73, 75, 80, 92, 93, 95, 96, 99, 100, 105, 106, 128, 131, 133, 156, 157, 161, 174, 185, 186, 195, 196, 204, 207, 210, 211, 222, 242, 261, 275
- noisy miner (*Manorina melanocephala*) 63, 159
- noisy scrub-bird (*Atichornis clamosus*) 9, 75, 81–2, 83, 111, 116–17, 220, 221, 222
- non-adaptive habitat selection 60
- non-government organisations (NGOs) 175, 183, 184, 187, 288
- non-lethal predator control 32–4
- North American beaver (*Castor canadensis*) 171, 173–4
- North Island brown kiwi (*Apteryx mantelli*) 112, 113, 115, 193, 202, 207, 210
- North Island kokako (*Callaeas wilsoni*) 9, 61, 63, 193, 280
- North Island robin (*Petroica longipes*) 61, 64, 66, 67, 95, 96, 97, 98, 100, 132, 157, 161–2, 193, 211, 262
- North Island saddleback (*Philesturnus rufusater*) 63, 93–4, 98, 100, 193, 262
- northern quoll (*Dasyurus hallucatus*) 110, 116, 203, 208, 264
- Norway rat (*Rattus norvegicus*) 192
- numbat (*Myrmecobius fasciatus*) 32, 175, 181, 182, 183, 189, 220, 225, 226, 264
- olive perchlet (*Ambassis agassizi*) 240
- Operation Foxglove 218, 223
- Operation Nest Egg 202, 207, 210
- orange-bellied frog (*Geocrinia vitellina*) 112, 115, 202, 220
- orange-bellied parrot (*Neophema chrysogaster*) 18, 207, 208, 209
- Orokonui Eco-sanctuary 186, 193
- Otago skink (*Oligosoma otagense*) 77, 79, 210
- outbreeding depression 133, 136, 206, 244–5
- pale field-rat (djini) (*Rattus tunneyi*) 220
- parasites 43, 46, 47, 48, 49, 51, 54, 156, 228, 288
- parma wallaby (*Macropus parma*) 33
- passerine birds 157, 256, 262–3
 - translocations 97, 262–3
- passive surveillance 45, 47
- patch occupancy 156, 157, 173
- pateke, *see* brown teal
- pathogen hubs 47
- Pedder galaxias (*Galaxias pedderensis*) 112, 114, 115, 117, 118, 238, 239, 245, 249
- Persian fallow deer (*Dama mesopotamica*) 82
- Phillip Island 112, 275
- Pirongia 192, 193
- planigales (*Planigale maculata*) 36
- PMx software 132, 143
- poison baiting 30, 32, 169, 171, 195
- poison dart frog (*Phyllobates* spp.) 33
- policy development 171, 173, 219, 282, 285–90
- population density 266
- population modelling 91, 97, 98, 152, 244
- population size 5, 8–11, 68, 73, 119, 133, 135, 136, 163, 207, 230
 - eastern yellow robin 159–60
 - extinction and 127–8
 - genetic diversity and 130
 - growth projections 93, 96, 99
 - reinforcement 133
 - Tasmanian devils 142, 146
- population viability analysis (PVA) 22, 50, 95–6, 136
- possums 32
- potoroo (*Potorus* spp.) 169
- precautionary principle 55, 278
- predator-free New Zealand movement 289
- predator-naive species 29–42, 83, 230, 245, 264, 286
- predators 7, 79, 83, 92, 107, 108, 156, 161, 163, 169, 228, 257, 275
 - control of 32–4, 37, 63, 64, 80, 162, 175, 183, 184, 225, 230, 259
 - exclusion of 30–2, 34, 83
 - marsupials and 264
 - risk assessment of 96
 - training to cope with 31, 36, 84
 - vulnerability to 61, 63
- prioritisation 229–30, 231, 279

- private conservation funding 181, 182, 183, 185–99, 228, 277
- proactive conservation 137
- protected area network 186, 187
- pygmy blue-tongued lizard (*Tiliqua adelaidensis*) 61, 62
- quarantine 44, 76, 145, 276
- quenda, *see* bandicoots
- quokka (*Setonix brachyurus*) 220
- quoll, western, *see* chuditch
- rabbit (*Oryctolagus cuniculus*) 32, 116, 169, 191, 192, 275
control of 31, 32, 182
- radio tracking 12, 65, 66, 76, 78, 80, 84, 162, 206, 208, 246
- Random Forest algorithms 94, 95
- 'rat-kangaroo', *see* eastern bettong
- rats, *see* black rat (*Rattus rattus*), Norway rat (*Rattus norvegicus*)
- recovery plans 20, 108, 204, 212, 219, 247, 277
devil facial tumour disease and 146
- recovery teams 85, 212, 230, 261
- recreational fishing 238, 243, 247, 249
- red-bellied black snake (*Pseudechis porphyriacus*) 36
- red-bellied pademelon (*Thylogale billardierii*) 275
- red-crowned parakeet (*Cyanoramphus novaezelandiae*) 45–6, 193
- red deer (*Cervus elaphus*) 192
- red-finned blue-eye (*Scaturiginichthys vermeilipinnis*) 189
- redfin perch (*Perca fluviatilis*) 244
- red fox (*Vulpes vulpes*) 2, 29, 30, 31, 32, 35, 76, 77, 78, 80, 136, 152, 156, 169, 188, 189, 221, 275
baiting 217–18, 223
control of 114, 173
Tasmania and 151
- Red List of Threatened Species 142, 190, 206, 218
- red-tailed phascogale (*Phascogale calura*) 183, 189, 190, 220, 226
- refuges 120, 134
- regent honeyeater (*Xanthomyza phyrgia*) 50
- reintroductions
bans on 45
definition 1, 109
devil facial tumour disease and 147
failure of 7–8
modelling 91–103
reinforcement and 1, 207–8
reinvansion and 191
theory of 156–7
trial of 73–89, 117
- release strategies 4, 7–16, 21, 80, 83, 92–5, 226, 227, 259, 266–7
hihi 12
lizards 260
marsupials 264
passerines 263
refining of 83–4
turtles 261
- reproductive biology 98, 128, 210
eastern barred bandicoot 206
fish 243, 244, 245
western swamp tortoise 224
- reproductive suppression 257, 258
- reptiles 194, 219
assisted colonisations 111–12, 113
see also crocodiles, lizards, tuatara, turtles
- Resolution Island 105, 106, 114
- resource limitations 47, 74, 99, 203, 228, 229, 230
- rifleman (*Acanthisitta chloris*) 193, 262
- ringtail possum, common (*Pseudocheirus peregrinus*) 111
- risk assessment 44, 48, 95–6, 148, 279
- risk management 44, 48, 49, 54, 55, 144, 278
devil facial tumour disease 145
- robins, *see* Australasian robins, Chatham Island
black robin, eastern yellow robin, North Island robin, Stewart Island robin
- rodents 79, 173, 223, 273
- Rothschild's rock-wallaby (*Petrogale rothschildi*) 110, 220
- rowi (*Apteryx rowi*) 10
- rufous hare-wallaby (mala) (*Lagorchestes hirsutus*) 110, 116, 181, 183, 189, 220, 226, 264

- saddleback, *see* North Island saddleback, South Island saddleback
- Salmonella* 47, 54, 260
- salmonids 238
- salvage translocations, *see* translocations
- sanctuaries 63, 174, 185–99, 225, 228, 286, 287–8
- Save the Tasmanian Devil Program 142, 152
- Saving Our Species (SOS) Program 169, 175
- scaup (*Aythya novaeseelandiae*) 193
- scent-marking 32, 34
- Scotia Sanctuary 30, 76, 171, 181, 186, 187, 189
- seabirds 146, 267
- sea cucumber 279
- sedation 256
- selective breeding 36
- semiarid woodland 181, 182, 183, 184, 190, 226
- sex-biased dispersal 11, 148, 158, 259, 266
- Shark Bay mouse (djoongari) (*Pseudomys fieldi*) 111, 114–15, 220, 226
- shifting baselines syndrome 174
- ship rat, *see* black rat
- short-beaked echidna (*Tachyglossus aculeatus*) 111
- short-tailed shearwater (*Puffinus tenuirostris*) 146
- simultaneous paired release 81
- sink fragments 163
- site selection 60–8, 74, 76–7, 82, 84, 100, 156, 157, 175, 195, 230
- skinks 77, 79, 95, 111, 113, 193, 208, 210–11, 220, 260
- skin mite 45, 46
- skunk (*Mephitis* spp.) 33
- SMART (simple multi-attribute ranking technique) 52, 53
- snake-necked turtle (*Chelodina colliei*) 261
- song groups 81–2
- source populations 11, 162, 259
- southern hairy-nosed wombat (*Lasiorhinus latifrons*) 111, 182
- southern purple-spotted gudgeon (*Mogurnda adpersa*) 239, 240, 242, 245, 247
- southern pygmy perch (*Nannoperca australis*) 239, 240, 245
- South Island brown kiwi (*Apteryx australis australis*) 109, 112, 113, 115
- South Island saddleback (*Philesturnus carunculatus*) 2, 11, 276
- South Island takahe, *see* takahe
- species-based site selection 60–4, 74
- species distribution models (SDMs) 94, 120–1
- speckled skink (*Oligosoma infrapunctatum*) 113
- spectacled hare-wallaby (Barrow Island) (*Lagorchestes conspicillatus conspicillatus*) 220
- spinifexbird (*Eremiornis carteri*) 220
- spinifex hopping mouse (*Notomys alexis*) 31
- state governments 196, 225
funding 181, 182
translocations 277
- Stead's bush wren (*Xenicus longipes variabilis*) 276
- Stewart Island robin (*Petroica australis rakiura*) 64, 193
- Stewart Island snipe (*Coenocorypha iredalei*) 276
- stoat (*Mustela erminea*) 2, 29, 34, 79, 105, 115, 116, 191, 192
- stochasticity 22, 96, 128
- strategic planning, Western Australia 228
- stressors 256–63, 264, 265, 267
- structured decision making (SDM) 17–27, 50, 51–3, 289
- success likelihood 95–6, 229, 230, 231
- success rate
assisted colonisation 115–16, 117
conservation translocations 227
fish translocations 239–40, 243, 244, 245–7
translocations 110–12, 189, 225
- sugar glider (*Petaurus breviceps*) 11
- sunset frog (*Spicospina flammocaerulea*) 112, 115, 221
- supplementary feeding 34–5, 61, 62, 75, 76, 77, 83, 96, 98, 99, 119, 149, 205, 211, 260, 265
- surrogate species 100
- survival rate 10, 12, 23, 94, 96, 133, 157, 257
eastern barred bandicoot 78
Tasmanian devils 149
- swing weighting method 53
- sylvatic plague 151

- takahe (*Porphyrio hochstetteri*) 47, 64, 113, 193, 210, 211
- tammar wallaby (*Macropus eugenii derbianus*) 9, 77, 79, 80, 84, 110, 218, 219, 221, 264, 275
- tapeworm (*Echinococcus granulosus*) 274
- targeted disease surveillance 45, 46–7, 54
- Tasmania 112, 114, 116, 117, 141–54, 171, 187, 239, 274, 289
- devil facial tumour disease distribution 143
- Tasmanian devil (*Sarcophilus harrisii*) 110, 114, 117, 141–54, 207, 210
- captive breeding 208
- facial tumour disease 116
- mainland Australia, reintroductions and 151–2
- Tasmanian pademelon (*Thylagale billardierii*) 110
- taste aversion 33
- Tawharanui Open Sanctuary 186, 193
- 1080 poison (monosodium fluoroacetate) 32, 191, 217–18
- threatened species 32, 74, 130, 131, 137, 168, 185, 204, 212, 218, 221, 223, 225, 229, 230, 231, 277, 287
- freshwater fish 237–53
- identification of 74, 75–83
- invertebrates 259
- Western Australian birds 222
- Threatened Species Conservation Act 1995* (NSW) 76, 276
- Threatened Species Protection Act 1995* (Tasmania) 142
- thylacine (*Thylacinus cynocephalus*) 289
- tieke, *see* North Island saddleback, South Island saddleback
- Tiritiri Matangi Island 45–6, 93, 94, 119, 122
- tomtit (*Petroica macrocephala*) 63–4, 193, 262
- tortoises, *see* turtles
- toxoplasmosis* 78, 169
- trade-offs 18, 19, 21, 22, 24
- transfer boxes 262–3
- translocation approval process 273–84
- Translocation Proposals 114, 190, 277
- translocations 188–9, 219
- approval process 273–84
- definition 238, 273, 278
- fish 239, 243–4, 246
- genetic diversity and 127–40
- government 278–80
- guidelines, fauna 255–71, 277
- New Zealand invertebrates 259
- regulation (Australia) 276–9
- salvage 107, 217, 223, 275, 277–8, 281, 286–7
- strategy 228–9
- teams 262, 263
- wild-to-wild 83, 136, 189, 190, 211, 222, 225, 238, 249, 259
- transportation of animals 5, 108, 259, 260, 261, 262–3, 264, 265, 266, 277, 286
- trapping 30, 149–50, 171, 190, 192, 195, 260, 264
- trout cod (*Maccullochella macquariensis*) 238, 239, 240, 241, 243, 244, 245, 246, 249
- national recovery plan 241
- tuatara (*Sphenodon punctatus*) 47, 193, 202
- tui (*Prothemadera novaeseelandiae*) 64
- turtles 109, 120, 171, 224, 256, 261
- see also* western swamp tortoise
- uncertainty 17–25, 44–54, 64, 74–9, 93–100, 107, 118, 281, 289
- unfenced sites 30, 192, 225, 226, 287
- values-based decision making 20
- vegetation restoration 76, 83, 135, 136
- Vesk's plant-louse (*Acizzia veski*) 221
- visible implanted elastomer (VIE) 208
- vital rate 95, 96, 98, 100, 161
- VORTEX software 50, 144
- vulnerable species 108, 229
- Warrawong Sanctuary 30, 186
- warren removal 32–3
- water-rat (rakali) (*Hydromys chrysogaster*) 221
- weasel (*Mustela nivalis*) 79, 192
- wedge tailed eagle (*Aquila audax*) 80

- weka (*Gallirallus australis*) 2, 113–16, 193, 273, 275
- Wenderholm Regional Park 67, 193
- western barred bandicoot (*Perameles bougainville bougainville*) 31, 182, 183, 184, 221
- western bristlebird (*Dasyornis longirostris*) 111, 221, 222
- western brush wallaby (*Macropus irma*) 183, 221
- western burrowing owl (*Athene cunicularia hypugaea*) 12
- western chestnut mouse (*Pseudomys nanus ferculinus*) 134
- western ground parrot (*Pezoporus flaviventris*) 222, 231
- western pebble-mound mouse (ngadji) (*Pseudomys chapmani*) 221
- western quoll, *see* chuditch
- western ringtail possum (*Pseudocheirus occidentalis*) 221
- Western Shield 32, 173, 182, 218, 219, 227, 228, 231
- western swamp tortoise (*Pseudemydura umbrina*) 111, 115, 221, 223, 224, 231, 261
case study 120–2, 205
- wetlands 120–2, 242, 243, 261
- white-bellied frog (*Geocrinia alba*) 221
- whitehead (*Mohoua albicilla*) 61, 193, 262
- Wildlife Conservation Act 1950 (Western Australia) 218, 219, 229
- wild populations 12, 13, 18, 23, 24, 83, 112, 115, 116, 129, 133, 135, 143, 144, 201, 263
establishment of 21, 209
Tasmanian devils 146–7, 149–51, 152
- wonga pigeon (*Leucosarcia melanoleuca*) 274
- woylie, *see* brush-tailed bettong
- Yarra pygmy perch (*Nannoperca obscura*) 240, 242, 245
- yellow-crowned parakeet (*Cyanoramphus auriceps*) 193
- yellow-tufted honeyeater (*Lichenostomus melanops gippslandicus*) 205
- Yookamurra Sanctuary 181–2, 186, 187
- Zealandia 186, 192, 193, 195, 202
- zoos 201–15, 285
field work and 208, 210–11