

WSUD

ENGINEERING PROCEDURES

STORMWATER

WSUD

ENGINEERING PROCEDURES

STORMWATER



© Melbourne Water 2005

All rights reserved. Except under the conditions described in the Australian Copyright Act 1968 and subsequent amendments, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, duplicating or otherwise, without the prior permission of the copyright owner. Contact CSIRO PUBLISHING for all permission requests.

National Library of Australia Cataloguing-in-Publication entry

Melbourne Water.

WSUD engineering procedures: stormwater.

Bibliography.

ISBN 0 643 09092 4.

1. Waterworks – Victoria – Design and construction.

2. Water-supply engineering. 3. Urban hydrology – Victoria.

I. Title.

628.109945

Available from

CSIRO PUBLISHING

150 Oxford Street (PO Box 1139)

Collingwood VIC 3066

Australia

Telephone: +61 3 9662 7666

Local call: 1300 788 000 (Australia only)

Fax: +61 3 9662 7555

Email: publishing.sales@csiro.au

Web site: www.publish.csiro.au

Set in Bembo

Cover design by James Kelly

Text design by Paul Dickenson

Typeset by Desktop Concepts Pty. Ltd.

Printed in Australia by BPA Print Group

Acknowledgements

Funding for *WSUD Engineering Procedures: Stormwater* was provided by EPA Victoria through the Victorian Stormwater Action Program. Ecological Engineering, WBM Oceanics and Parsons Brinkerhoff were engaged to prepare the manual.

Project management

The project manager for the consultant group was:

Dr Robin Allison (Ecological Engineering)

Overall project management

Matt Francey (Melbourne Water)

Reference group

A group of local government, industry and agency representatives was formed to provide feedback during the manual preparation. This group included representatives from:

EPA Victoria

The Municipal Association of Victoria

Association of Land Development Engineers

City of Kingston

City of Wyndham

The Plumbing Industry Commission

The City of Greater Shepparton

South Gippsland Shire Council

Institute of Public Works Engineers Australia

GHD

KLM

Mornington Peninsula Shire

Australian Institute of Landscape Architects

Technical review group

A technical review group was also formed to review technical and scientific aspects of the manual during production:

Dr Tim Fletcher, Program Leader – Urban Stormwater Quality CRC for Catchment Hydrology, Monash University

Earl Shaver, Technical Specialist, Stormwater and Sediment, Auckland Regional Council

Professor Russell Mein, Honorary Professorial Fellow, Monash University, Department of Civil Engineering

Chris Chesterfield, Caroline Carvalho and Erin Pears of Melbourne Water all had significant input into the project.

Contents

Acknowledgements	v
Chapter 1 Introduction	1
1.1 Purpose of the Manual WSUD Engineering Procedures: Stormwater	1
1.2 Target audience	2
1.3 Manual contents	2
1.4 How to use this Manual	4
1.4.1 Designers	4
1.4.2 Referral authorities	4
1.5 Relevant WSUD guideline documents	5
1.5.1 Guidelines for treatment of Road Runoff from Road Infrastructure	5
1.5.2 WSUD: Basic Procedures for 'Source Control' of Stormwater Handbook	5
1.5.3 Stormwater Management Manual	5
1.5.4 Stormwater Management Devices: Design Guidelines Manual (TP10)	6
1.5.5 Summary of existing WSUD manuals	6
1.6 References	6
Chapter 2 Hydrologic design regions of Victoria	7
2.1 Introduction	7
2.2 Approach to regionalisation	7
2.3 Determining hydrologic design regions	8
2.4 Hydrologic region adjustment factors	9
2.5 Example application of mean annual rainfall method	10
2.6 References	11
Chapter 3 Summary of water sensitive urban design elements	13
3.1 Introduction	13
3.2 Sediment basins	14
3.3 Bioretention swales	15
3.4 Bioretention basins	16
3.5 Sand filters	16
3.6 Swale or buffer systems	18
3.7 Constructed wetlands	18
3.8 Ponds	20
3.9 Infiltration measures	21
3.10 Rainwater tanks	21
3.11 Aquifer storage and recovery	23
3.12 References	23

Chapter 4	Sedimentation basins	25
4.1	Introduction	25
4.2	Verifying size for treatment	26
4.3	Design procedure: sedimentation basins	27
4.3.1	Estimating design flows	27
4.3.1.1	Design discharges	27
4.3.1.2	Minor and major flood estimation	28
4.3.2	Size and shape of sedimentation basins	28
4.3.3	Cross sections	30
4.3.4	Hydraulic structures	30
4.3.4.1	Inlet structure	31
4.3.4.2	Outlet structure	31
4.3.5	Overflow structure	38
4.3.6	Vegetation specification	38
4.3.7	Design calculation summary	39
4.4	Checking tools	40
4.4.1	Design assessment checklist	40
4.4.2	Construction advice	41
4.4.3	Construction checklist	42
4.4.4	Asset handover checklist	43
4.5	Maintenance requirements	43
4.5.1	Operation and maintenance inspection form	43
4.6	Sedimentation basin worked example	43
4.6.1	Worked example introduction	43
4.6.1.1	Design objectives	44
4.6.2	Estimating design flows	45
4.6.3	Size and shape of sedimentation basin	46
4.6.4	Hydraulic structure design	47
4.6.4.1	Inlet structure	47
4.6.4.2	Outlet structure	47
4.6.4.3	Overflow structure	48
4.6.4.4	Discharge to macrophyte zone	48
4.6.5	Design calculation summary	49
4.6.6	Construction drawings	50
4.7	References	50
Chapter 5	Bioretention swales	51
5.1	Introduction	51
5.2	Verifying size for treatment	54
5.3	Design procedure: bioretention swales	56
5.3.1	Estimating design flows	56
5.3.1.1	Minor and major flood estimation	56
5.3.1.2	Maximum infiltration rate	56
5.3.2	Swale design	56
5.3.2.1	Slope considerations	56
5.3.2.2	Selection of Manning's n	57
5.3.3	Inlet details	58
5.3.3.1	Distributed inflows	58
5.3.3.2	Direct entry points	60
5.3.4	Vegetation scour velocity check	60
5.3.4.1	Velocity check – safety	61
5.3.5	Size perforated collection pipes	61
5.3.5.1	Perforations inflow check	61
5.3.5.2	Perforated pipe capacity	62

5.3.5.3	Drainage layer hydraulic conductivity	62
5.3.5.4	Impervious liner requirement	62
5.3.6	High-flow route and overflow design	63
5.3.7	Soil media specification	63
5.3.7.1	Filter media specifications	64
5.3.7.2	Transition layer specifications	64
5.3.7.3	Drainage layer specifications	64
5.3.8	Vegetation specification	65
5.3.9	Design calculation summary	65
5.4	Checking tools	66
5.4.1	Design assessment checklist	66
5.4.2	Construction advice	66
5.4.3	Construction checklist	69
5.4.4	Asset handover checklist	70
5.5	Maintenance requirements	70
5.5.1	Operation and maintenance inspection form	71
5.6	Bioretention swale worked example	71
5.6.1	Worked example introduction	71
5.6.1.1	Design objectives	72
5.6.1.2	Constraints and concept design criteria	73
5.6.1.3	Site characteristics	73
5.6.2	Confirm size for treatment	74
5.6.3	Estimating design flows	74
5.6.3.1	Major and minor design flows	74
5.6.3.2	Maximum infiltration rate	75
5.6.4	Swale design	75
5.6.5	Inlet details	76
5.6.6	Vegetation scour velocity check	76
5.6.6.1	Velocity check – safety	76
5.6.7	Sizing of perforated collection pipes	76
5.6.7.1	Perforations inflow check	76
5.6.7.2	Perforated pipe capacity	77
5.6.7.3	Drainage layer hydraulic conductivity	77
5.6.7.4	Impervious liner requirement	77
5.6.8	Overflow design	77
5.6.9	Soil media specification	78
5.6.9.1	Filter media specifications	78
5.6.9.2	Transition layer specifications	78
5.6.9.3	Drainage layer specifications	78
5.6.10	Vegetation specification	78
5.6.11	Calculation summary	79
5.6.12	Construction drawings	80
5.7	References	80
Chapter 6	Bioretention basins	81
6.1	Introduction	81
6.2	Verifying size for treatment	84
6.3	Design procedure: bioretention basins	84
6.3.1	Estimating design flows	84
6.3.1.1	Minor and major flood estimation	86
6.3.1.2	Maximum infiltration rate	86
6.3.2	Inlet details	86
6.3.2.1	Flow widths at entry	86
6.3.2.2	Kerb opening width at entry	86
6.3.2.3	Inlet scour protection	86

6.3.3	Vegetation scour velocity check	86
6.3.4	Size of slotted collection pipes	87
6.3.4.1	Perforations inflow check	87
6.3.4.2	Perforated pipe capacity	88
6.3.4.3	Drainage layer hydraulic conductivity	88
6.3.4.4	Impervious liner requirement	88
6.3.5	High-flow route and bypass design	88
6.3.6	Soil media specification	89
6.3.6.1	Filter media specifications	89
6.3.6.2	Transition layer specifications	90
6.3.6.3	Drainage layer specifications	90
6.3.7	Vegetation specification	90
6.3.8	Design calculation summary	91
6.4	Checking tools	92
6.4.1	Design assessment checklist	92
6.4.2	Construction advice	92
6.4.3	Construction checklist	94
6.4.4	Asset handover checklist	95
6.5	Maintenance requirements	95
6.5.1	Operation and maintenance inspection form	96
6.6	Bioretention basin worked example	96
6.6.1	Worked example introduction	96
6.6.1.1	Design objectives	98
6.6.1.2	Constraints and concept design criteria	98
6.6.1.3	Site characteristics	98
6.6.2	Confirm size for treatment	98
6.6.3	Estimating design flows	98
6.6.3.1	Major and minor design flows	98
6.6.3.2	Maximum infiltration rate	99
6.6.3.3	Inlet details	100
6.6.4	Vegetation scour velocity check	101
6.6.5	Sizing of perforated collection pipes	101
6.6.5.1	Perforations inflow check	101
6.6.5.2	Perforated pipe capacity	101
6.6.5.3	Drainage layer hydraulic conductivity	102
6.6.5.4	Impervious liner requirement	102
6.6.6	High-flow route and bypass design	102
6.6.7	Soil media specification	102
6.6.7.1	Filter media specifications	102
6.6.7.2	Transition layer specifications	102
6.6.7.3	Drainage layer specifications	102
6.6.8	Vegetation specification	102
6.6.9	Calculation summary	103
6.6.10	Construction drawings	104
6.7	References	104
Chapter 7	Sand filters	105
7.1	Introduction	105
7.2	Verifying size for treatment	108
7.3	Design procedure: sand filters	108
7.3.1	Estimating design flows	108
7.3.1.1	Minor and major flood estimation	108
7.3.1.2	Maximum infiltration rate	108

7.3.2	Hydraulic structure details	109
7.3.2.1	Sedimentation chamber	109
7.3.2.2	Sand filter chamber	112
7.3.2.3	Overflow chamber	113
7.3.3	Size of slotted collection pipes	113
7.3.3.1	Perforations inflow check	113
7.3.3.2	Perforated pipe capacity	114
7.3.4	Design principles to facilitate maintenance	114
7.3.5	Design calculation summary	114
7.4	Checking tools	115
7.4.1	Design assessment checklist	116
7.4.2	Construction advice	116
7.4.3	Construction checklist	118
7.4.4	Asset handover checklist	119
7.5	Maintenance requirements	119
7.5.1	Operation and maintenance inspection form	120
7.6	Sand filter worked example	120
7.6.1	Worked example introduction	120
7.6.1.1	Design objectives	121
7.6.1.2	Site characteristics	121
7.6.2	Verifying size for treatment	121
7.6.3	Estimating design flows	121
7.6.3.1	Maximum infiltration rate	122
7.6.4	Hydraulic structures	122
7.6.4.1	Sizing of sedimentation basin	122
7.6.4.2	Sand filter chamber	123
7.6.4.3	Overflow chamber	123
7.6.5	Size of slotted collection pipes	124
7.6.5.1	Perforations inflow check	124
7.6.5.2	Slotted pipe capacity	124
7.6.6	Design calculation summary	124
7.6.7	Construction drawings	125
7.7	References	127
Chapter 8	Swales and buffer strips	129
8.1	Introduction	129
8.2	Verifying size for treatment	132
8.3	Design procedure: swales	136
8.3.1	Estimating design flows	136
8.3.1.1	Minor and major flood estimation	136
8.3.2	Dimensioning a swale	136
8.3.2.1	Side slopes and maximum width of a swale	136
8.3.2.2	Maximum length of a swale	137
8.3.3	Swale capacity – selection of Manning's n	137
8.3.4	Inlet details	137
8.3.4.1	Distributed flows (buffers)	137
8.3.4.2	Direct entry points	139
8.3.5	Vegetation scour velocity check	140
8.3.5.1	Velocity check – safety	140
8.3.5.2	Check dams	140
8.3.6	High-flow route and overflow design	140
8.3.7	Vegetation specification	141
8.3.8	Design calculation summary	141

8.4	Checking tools	142
8.4.1	Design assessment checklist	142
8.4.2	Construction advice	142
8.4.3	Construction checklist	144
8.4.4	Asset handover checklist	145
8.5	Maintenance requirements	145
8.5.1	Operation and maintenance inspection form	146
8.6	Swale worked example	146
8.6.1	Worked example introduction	146
8.6.1.1	Design objectives	148
8.6.1.2	Site characteristics	148
8.6.1.3	Confirm size for treatment	148
8.6.2	Estimating design flows	149
8.6.2.1	Major and minor design flows	149
8.6.3	Swale dimensions	149
8.6.4	Swale flow capacity	149
8.6.4.1	Selection of Manning's n	150
8.6.4.2	Option 2 – assume higher vegetation	150
8.6.5	Inlet details	151
8.6.6	Velocity checks	151
8.6.6.1	Velocity check – safety	151
8.6.6.2	Check dams	151
8.6.7	Overflow structures	152
8.6.8	Vegetation specification	152
8.6.9	Calculation summary	152
8.6.10	Construction drawing	153
8.7	References	153
Chapter 9	Constructed wetlands	155
9.1	Introduction	155
9.2	Verifying size for treatment	157
9.3	Design procedure: constructed wetlands	157
9.3.1	Estimating design flows	160
9.3.1.1	Minor and major flood estimation	160
9.3.2	Inlet zone	160
9.3.3	Macrophyte zone layout	160
9.3.3.1	Size and dimensions	160
9.3.3.2	Zonation	161
9.3.3.3	Long section	161
9.3.3.4	Cross sections	162
9.3.4	Macrophyte zone outlet structure	162
9.3.4.1	Maintenance drain	163
9.3.4.2	Riser outlet – size and location of orifices	163
9.3.4.3	Riser outlet – pipe dimension	163
9.3.4.4	Discharge pipe	164
9.3.5	Connection to inlet zone	164
9.3.6	High-flow route and bypass design	165
9.3.7	Vegetation specification	165
9.3.8	Designing to avoid mosquitos	165
9.3.9	Design calculation summary	165
9.4	Checking tools	167
9.4.1	Design assessment checklist	167
9.4.2	Construction advice	167
9.4.3	Construction checklist	170
9.4.4	Asset handover checklist	171

9.5	Maintenance requirements	171
9.5.1	Operation and maintenance inspection form	172
9.6	Worked example	172
9.6.1	Worked example introduction	172
9.6.2	Design objectives	173
9.6.2.1	Confirming macrophyte zone area	174
9.6.3	Design calculations	174
9.6.3.1	Estimating design flows	174
9.6.3.2	Inlet zone	174
9.6.3.3	Macrophyte zone layout	174
9.6.3.4	Macrophyte zone outlet structure	176
9.6.3.5	Connection to inlet zone	178
9.6.3.6	High-flow route and bypass design	178
9.6.3.7	Vegetation specifications	179
9.6.4	Design calculation summary	180
9.6.5	Construction drawings	181
9.6.6	Example inspection and maintenance schedule	182
9.7	References	183
Chapter 10	Ponds and lakes	185
10.1	Introduction	185
10.2	Verifying size for treatment	186
10.3	Design procedure: ponds and lakes	187
10.3.1	Hydrology	187
10.3.1.1	Flood estimation	187
10.3.1.2	Waterbody residence time	188
10.3.1.3	Turnover design criteria	190
10.3.1.4	Lake water level fluctuation analysis	190
10.3.1.5	Option for a larger waterbody	191
10.3.2	Pond layout	191
10.3.2.1	Size and dimensions	191
10.3.2.2	Inlet zone	192
10.3.2.3	Cross sections	193
10.3.3	Hydraulic structures	194
10.3.3.1	Inlet structure	194
10.3.3.2	Outlet structure	194
10.3.3.3	Maintenance drain	196
10.3.4	High-flow route design	196
10.3.5	Vegetation specification	196
10.3.6	Design calculation summary	196
10.4	Checking tools	196
10.4.1	Design assessment checklist	196
10.4.2	Construction advice	198
10.4.3	Construction checklist	200
10.4.4	Asset handover checklist	201
10.5	Maintenance requirements	201
10.5.1	Operation and maintenance inspection form	201
10.6	Worked example	202
10.6.1	Worked example introduction	202
10.6.2	Design considerations	202
10.6.3	Confirming pond area	204
10.6.4	Design calculations	204
10.6.4.1	Lake hydrology	204
10.6.4.2	Open water zone layout	207

10.6.4.3	Pond outlet structure	208
10.6.4.4	High-flow route and spillway design	210
10.6.4.5	Vegetation specifications	210
10.6.4.6	Design calculation summary	211
10.6.5	Example maintenance schedule	211
10.7	References	213
Chapter 11 Infiltration measures		215
11.1	Introduction	215
11.2	Verifying size for treatment	216
11.3	Design procedure: infiltration measures	216
11.3.1	Checking field conditions	216
11.3.1.1	Site terrain and soil salinity	217
11.3.1.2	Hydraulic conductivity	217
11.3.1.3	Groundwater	218
11.3.2	Estimating design flows	218
11.3.2.1	Design discharges	218
11.3.2.2	Minor and major flood estimation	218
11.3.3	Location of infiltration systems	219
11.3.4	Source treatment	219
11.3.5	Sizing the detention storage	219
11.3.5.1	Storage volume	219
11.3.5.2	Emptying time	220
11.3.6	Hydraulic structures	220
11.3.7	Design calculation summary	220
11.4	Checking tools	220
11.4.1	Design assessment checklist	221
11.4.2	Construction advice	222
11.4.3	Construction checklist	223
11.4.4	Asset handover checklist	224
11.5	Maintenance requirements	224
11.6	Infiltration measure worked example	225
11.6.1	Worked example introduction	225
11.6.1.1	Design objectives	226
11.6.1.2	Site characteristics	226
11.6.2	Checking field conditions	227
11.6.3	Estimating design flows	227
11.6.4	Location of infiltration systems	227
11.6.5	Source treatment	227
11.6.6	Sizing the detention storage	228
11.6.7	Hydraulic structures	229
11.6.7.1	Inlet design	229
11.6.7.2	Bypass design	230
11.6.8	Design calculation summary	231
11.6.9	Construction drawing	232
11.7	References	232
Chapter 12 Rainwater tanks		233
12.1	Introduction	233
12.2	Rainwater tank considerations	234
12.2.1	Supply and demand considerations	234
12.2.2	Water quality	235

12.2.3	Stormwater quality benefits	236
12.2.4	Cost considerations	236
12.2.5	Available space considerations	236
12.2.6	Competing uses for stormwater runoff	237
12.2.7	Maintenance considerations	237
12.3	Australian standards for installation of rainwater tank systems	237
12.4	Design procedure: rainwater tanks	238
12.4.1	Selection of end-uses	238
12.4.2	Tank size and supply reliability	239
12.4.3	Tank configuration	243
12.4.4	Maintenance provision	244
12.5	Worked example	244
12.6	Inspection and maintenance schedule	244
12.7	References	245
Chapter 13	Aquifer storage and recovery	247
13.1	Introduction	247
13.2	Components of an ASR system	248
13.3	Treatment and pollution control	248
13.3.1	Knowledge of pollutant sources in the catchment upstream	249
13.3.2	Aquifer selection	250
13.3.3	Pretreatment prior to injection	250
13.3.4	Injection shutdown system	250
13.3.5	Maintenance and contingency plans	250
13.3.6	Recovered water post-treatment	250
13.3.7	Discharge of well development/redevelopment water	250
13.3.8	Groundwater attenuation zones	251
13.4	Quality of water for injection and recovery	251
13.5	Domestic scale aquifer storage and recovery	251
13.6	Additional information	251
13.7	References	252
Chapter 14	Other measures	253
14.1	Introduction	253
14.2	Subsurface wetlands	253
14.3	Proprietary stormwater treatment devices	255
14.3.1	Selection issues	255
14.3.1.1	Life cycle costs	256
14.3.1.2	Installation costs and considerations	256
14.3.1.3	Maintenance costs and considerations	257
14.3.1.4	Miscellaneous considerations	258
14.3.1.5	Checklist for selecting proprietary products	258
14.3.2	Performance issues	259
14.4	Porous pavements	259
14.4.1	Description	259
14.4.2	Studies of performance	260
14.4.2.1	Flow behaviour	260
14.4.2.2	Water quality behaviour	260
14.4.2.3	Summary of expected performance	261
14.4.3	Maintenance	261

14.4.4	Capital costs and maintenance costs	261
14.4.5	Protection and maintenance of porous pavements	262
14.4.6	Design and supply of porous pavements	262
14.5	Use of natural areas including reforestation and revegetation	263
14.6	References	263
Appendix A Suggested plant species for WSUD treatment elements		265
A.1	Introduction	265
A.2	Bioretention systems, swales and buffer strips	266
A.2.1	Constructing suitable soil filter media	267
A.2.2	Importance of vegetation	267
A.2.3	Required plant characteristics	267
A.2.4	Plant species selection	268
A.2.5	Vegetation establishment and maintenance	269
A.3	Sediment basins, wetlands and ponds	269
A.3.1	Importance of vegetation	269
A.3.2	Required plant characteristics	270
A.3.3	Plant species selection	270
A.3.4	Wetland vegetation establishment	271
A.4	Steps to choosing appropriate vegetation	273
A.4.1	Additional notes on the tables	273
A.4.2	Key to plant species tables (Tables A.1 and A.2)	274
A.4.3	References	275
Glossary		286
Appendix B	Victorian hydrological regions for sizing stormwater treatment measures	CD
Appendix C	Victorian hydrological regions for sizing rainwater tanks	CD
Appendix D	Cyanobacterial growth in constructed water bodies	CD